











The highest standard in continuous anodizing










- Spot on!





Extreme gloss uniformity

- Tightest gloss variation available on the anodizing market
- Guaranteed by Coil to objective measurement
- Long life stability no chalking
- Coil to coil batch to batch
- Unlimited quantities in one production run

Best sealing available

- Impermeable surface easy to clean
- Extreme corrosion resistance
- No peeling / blistering
- Solvent proof
- Lifetime guarantee available
- 3 times better than today's Qualanod standard





Excellent colour uniformity

- Unlimited volumes at fix production parameters
- Long life stability
- Guaranteed by objective L*a*b* measurement







Classification

| Combination | classification | Properties |
|--|----------------|---|
| Coil treatment + AQ metal | Good | Standard anodising quality metal Gloss variation <20 units Colour variation Delta E 3.5 for natural and 7 for colours Standard seal according Qualanod standard <30 mg/dm² Guarantee up to 25 years |
| Coil treatment + Certified AQ metal | Very Good | Homologated AQ metal Gloss variation <15 units Colour variation Delta E 2 for natural and 6 for colours Superior seal <25 mg/dm² Guarantee up to 35 years |
| Coil treatment + certified metal + QSCA | Excellent | Homologated AQ metal Gloss variation <8 units Colour variation Delta E 1 for natural and 4 for colours Maximum seal <15 mg/dm² mg/dm² Lifetime guarantee |

Full production report and analysis delivered with QSCA

QSCA uniquely available from Coil and its international agents and distributors

Perfect surface consistency, even for large landmark projects

Meets the most stringent demand from architects and designers